

Presenting the all new Bolero Maxi Truck.

With a refreshed 'sabre-tooth' front grille that promises more style. And a handy power steering that promises more convenience. What's more, it even comes equipped with the tried and tested, 2523cc MDI engine that delivers 62 BHP (46.3 kW) of power and 182.5 Nm of torque. Now add to this an ultra-strong body and chassis, and it's easy to understand why the Bolero Maxi Truck can take on any challenge you throw at it.



BIJIH WITH STYLE

- Stylish looks with an attractive 'sabre-tooth' front grille
- · Elegant new headlamps
- Tastefully designed dashboard with an integrated glove-box
- Generous cabin space & elegant fabric seats to make the longest trips comfortable



- Built to move heavy loads over longer distances, without breakdowns
- Low maintenance costs for reduced spends & greater earnings





- · Renowned & trusted 2523cc MDI engine
- 62 BHP (46.3 kW) power & 182.5 Nm torque to take on any load effortlessly
- · Large 15 inch (38.1 cm) tyres to ensure greater stability, and less tyre wear & tear
- · Sturdy suspension and a robust build to take on any terrain with ease







Greater cabin space & fabric seats



- · Front-nose design for enhanced safety
- · Strong body & chassis to handle rough-and-tough usage without complaints
- · Large wheelbase to ensure stability & safety, even while carrying heavy loads





- · Extensive spare parts availability & a wide spread network of service support
- · 3-years unlimited kms warranty on engine and gearbox for complete peace of mind
- · High durability, reliability & strict adherence to quality standards, a Mahindra trademark



THE Specifications

ENGINE

ENGINE	
Model	MDI 3200TC L
Туре	Direct Injection
Bore x Stroke, mm	88.9 / 101.6
No. of cylinders	4
Displacement, cc	2523
Max engine output, BHP/kW@rpm	62 BHP / 46.3 kW @ 3200 rpm
Max torque, Nm@rpm	182.5 Nm @ 1500 - 1800 rpm
CLUTCH	
Туре	Single Plate Dry Clutch
GEAR BOX	
Model	NGT 520
No. of gears	5 forward, 1 reverse. All synchromeshed
STEERING	Manual (standard), Power steering (optional)
SUSPENSION	
Туре	Rear - Rigid with semi-elliptical leaf springs
	Front - Rigid with semi-elliptical leaf springs,
	with anti-roll bar at front

Shock absorbers	Hydraulic double-acting, telescopic
BRAKES	Front - Disc; Rear - Drum
WHEELS AND TYRES	
Rim size	15 inches (38.1 cm)
Tyre size	195/80 R15 LT
Fuel tank capacity	45 litres
DIMENSIONS	
Wheelbase, mm	3150
Overall width, mm	1670
Overall length, mm	4855
Overall height, mm	1725
Minimum ground clearance, mm	170
Cargo body dimensions (LxWxH), mm	Overall - 2200 x 1530 x 458
	Inner - 2120 x 1450 x 295
MAXIMUM GVW, KG	2450
PAYLOAD, KG	1000
SEATING CAPACITY	1+1











