

Mahindra brings you MTRUST, the best way to buy used Mahindra trucks. We put each vehicle through 166 tough health checks. Refurbish with only Mahindra spares. All to give you trucks that are as good as new and outperform right from the start.

• UP TO 12 MONTHS WARRANTY • UP TO 3 FREE SERVICES • ROAD SIDE ASSISTANCE • REFINANCE OPTIONS



Corporate: contactmtb@mahindra.com Customer Care: now24X7@mahindra.con



www.mahindratruckandbus.co www.mahindralcv.com



Mahindra & Mahindra Ltd.,
Truck and Bus Division, Marketing Division,
2nd Floor, Mahindra Towers, Worli, Mumbai 400 018.



SMS 'MTB' to 56767

Note: In view of our policy of continuously improving our products, we reserve the right to alter specifications or design without prior notice and without liability. Illustrations do not necessarily show the vehicle in its standard form. Accessories shown are not part of the standard equipment. Colour shades shown may vary. E. & O.E.

DEALER STAMP







THE BLAZOX REVOLUTION



AHEAD OF THE REST

Mahindra's airless SCR technology not only meets the global standards to control emissions from heavy commercial vehicles, but also does so with a simple layout and lesser number of parts allowing drivers and engineers to access maximum benefit with minimal specialised training.



THE SMART WAY TO SAVE FUEL


Mahindra has advanced existing technology with its innovative FuelSmart switches that have increased fuel efficiency as well as mileage.



THE CRDe ADVANTAGE

Mahindra has always adopted a futuristic approach that is quite evident in their 10 YEARS of experience in CRDE engines across 9 countries. A cost-effective technology that doesn't compromise on performance or reliability, Mahindra's CRDe engines prevail in every terrain that India offers.

The Mahindra BLAZO X BSIV with CRDe is tried, tested and proven time and time again all while challenging and changing the face of the Indian transport industry, and securing its spot as the badshah of BSIV.





THE HEART OF SMART.

Mahindra's mPOWER FuelSmart engine with 7.2 litre displacement has a large heart with immense reserve capacity and a backing of 10 YEARS of CRDe expertise. This engine, in combination with the multi-mode switches, delivers uncompromising performance. Giving mileage without short changing you when you need power, pickup or pulling ability. At the same time, this engine cuts down on emissions to give you cleaner, greener running for years to come









EXTRA MILEAGE. EXTRA PARCELS. EXTRA PROFITS.

- 7.2 litre, high torque, low r/min engine.
- mPOWER FuelSmart engine with multimode switches
- Guaranteed better fuel efficiency
- Driver Information System
- Next-Gen features and improved cabin for better productivity

BLAZO X 28
28000 kg
mPOWER 7.2 litre FuelSmart
204.32 kW @ 2200 r/min
950 Nm @ 1100 - 1700 r/min
Eaton 6S
Semi Elliptical Leaf Spring
Semi Elliptical Leaf Spring
Single reduction, fully floating axle shaf
Option 1: 295/90R 20 + 10R20
(Tube Radial Mixed)
Option 2: 295/80R 22.5 Tubeless
330 litre
42 litre
285 x 70 x 8.5
80 km/h (With Speed Limiter)
22%
Tilt & Telescopic Power Steering
Full Air S Cam, 10 Bar System, ABS
24V (2x12)
5000 mm / 6716 mm
5350 mm / 7315 mm
6600 mm / 9372 mm
5000 mm / 7355 mm
5350 mm / 7755 mm
6600 mm / 9795 mm
Single Sleeper (Opt. COWL)
Optional
only

AdBlue® is a registered trade name of the Verband der Automobilindustrie e. V. (VDA)



























BUILT FOR EXTRA MILEAGE. BUILT FOR ALL CONSTRUCTION NEEDS.

• 7.2 litre, high torque, low r/min engine.

- mPOWER FuelSmart engine with multimode switches
 - Guaranteed better fuel efficiency
 - Driver Information System
- Next-Gen features and improved cabin for better productivity

SPECIFICATIONS	BLAZO X 28 TIPPER 9S	
GVW	28000 kg	
Engine	mPOWER 7.2 litre FuelSmart	
Max. Power	204.32 kW @ 2200 r/min	
Max. Torque	950 Nm @ 1100 - 1700 r/min	
Gear Box	Eaton 9 Speed Gear Box	
Gradeability	44% (RAR: 6.17)	
Clutch (Diameter)	395 mm Diaphragm type, single plate dry clutch	
Suspension - Front	Semi Elliptical Leaf Spring with shock absorber	
Suspension - Rear	Inverted Leaf Bogie Suspension	
Rear Axle	Tandem Banjo Type Single Reduction RAR: 6.17 (Optional: 4.89)	
Tyres	Option 1: 11x20 16PR/18PR	
Tyres	Option 2: 295/95D 20 + 10x20 (Tube Type Mixed)	
Fuel Tank Capacity	235 litre	
AdBlue® Tank Capacity	42 litre	
Chassis Cross Section (mm)	285 X 70 X 8.5 with full length 5 mm reinforcement	
Max. Speed	60 km/h (With Speed Limiter)	
Steering	Hydraulic power assisted tilt & telescopic	
Brakes	Full Air S Cam Dual circuit Pneumatic Brake, 10 Bar system, ABS	
System Voltage	24V (2x12)	
Wheelbase	4250 mm	
Cabin	Day Cab (AC Optional)	
Min. Ground Clearance	250 mm	
Tipping Body Size	16 Cum & 20 Cum Box Body 14 Cum Rock Body	
Tipping Body option	HYVA make tipping body Optional: MTBD make tipping body	

AdBlue® is a registered trade name of the Verband der Automobilindustrie e. V. (VDA)





GIVES YOUR BUSINESS THAT EXTRA PUSH.

- 7.2 litre, high torque, low r/min engine.
- mPOWER FuelSmart engine with multimode switches
- Guaranteed better fuel efficiency
- Driver Information System
- Next-Gen features and improved cabin for better productivity

SPECIFICATIONS	BLAZO X 28 BOOM PUMP
GVW	28000 kg
Engine	mPOWER 7.2 litre FuelSmart
Max. Power	204.32 kW @ 2200 r/min
Max. Torque	950 Nm @ 1100 - 1700 r/min
Gear Box	Eaton 9 Speed Gear Box
Gradeability	37%
Clutch (Diameter)	395 mm Diaphragm type, single plate dry clutch
Suspension - Front	Semi Elliptical Leaf Spring with shock absorber
Suspension - Rear	Inverted leaf Bogie Suspension
Rear Axle	Tandem Banjo Type Single Reduction. RAR: 4.89
Wheels & Tyres	11x20 16PR
Fuel Tank Capacity	235 litre
AdBlue® Tank Capacity	42 litre
Chassis Cross Section (mm)	285 X 70 X 8.5 with full length 5 mm reinforcement
Max. Speed	60 km/h (With Speed Limiter)
Steering	Hydraulic power assisted tilt & telescopic
Brakes	Full Air S Cam Dual circuit Pneumatic Brake, 10 Bar system, ABS
System Voltage	24V (2x12)
Wheelbase	5000 mm
Cabin	Day Cab
Min. Ground Clearance	250 mm
Configurations	CBC Suitable for 36 m Boom Pump of M/s. Putzmeister & M/s Schwing Stetter

AdBlue® is a registered trade name of the Verband der Automobilindustrie e. V. (VDA)







EXTRA EFFICIENCY. SO YOU CAN SAVE FUEL.

• 7.2 litre, high torque, low r/min engine.

- mPOWER FuelSmart engine with multimode switches
 - Guaranteed better fuel efficiency
 - Driver Information System
- Next-Gen features and improved cabin for better productivity

SPECIFICATIONS	BLAZO X 28 TRANSIT MIXER	
GVW	28000 kg	
Engine	mPOWER 7.2 litre FuelSmart	
Max. Power	204.32 kW @ 2200 r/min	
Max. Torque	950 Nm @ 1100 - 1700 r/min	
Gear Box	Eaton 6 Speed Gear Box	
Gradeability	28%	
Clutch (Diameter)	395 mm Diaphragm type, Single plate dry clutch	
Suspension - Front	Semi Elliptical Leaf Springs with shock absorber	
Suspension - Rear	Bell Crank Type Suspension	
Rear Axle	Tandem Banjo Type Single Reduction RAR: 4.89, 6.17	
Wheels & Tyres	295/95D 20 + 10x20 (Tube Type Mixed)	
Fuel Tank	235 litre	
AdBlue® Tank Capacity	42 litre	
Chassis Frame (mm)	285 X 70 X 8.5 thick	
Max Speed	60 km/h (With Speed Limiter)	
Steering	Hydraulic power assisted tilt & telescopic	
Brakes	Full Air S Cam Dual Circuit Pneumatic Brake, 10 Bar system with ABS	
System Voltage	24V (12x2)	
Wheelbase	4250 mm	
Cabin	Day Cabin (AC optional)	
Ground Clearance	250 mm	
Configurations	CBC for Transit Mixer Applications TM Drum Size: 6 Cum & 7 Cum	

AdBlue® is a registered trade name of the Verband der Automobilindustrie e. V.(VDA)



BUILT FOR EXTRA MILEAGE. BUILT FOR ALL CONSTRUCTION NEEDS.

- 7.2 litre, high torque, low r/min engine.
- mPOWER FuelSmart engine with multimode switches
- Guaranteed better fuel efficiency
- Driver Information System
- Next-Gen features and improved cabin for better productivity

SPECIFICATIONS	BLAZO X 28 TIPPER 6S
GVW	28000 kg
Engine	mPOWER 7.2 litre FuelSmart
Max. Power	204.32 kW @ 2200 r/min
Max. Torque	950 Nm @ 1100 - 1700 r/min
Gear Box	Eaton 6 Speed Gear Box
Gradeability	28%
Clutch (Diameter)	395 mm Diaphragm type, single plate dry clutch
O	Semi Elliptical Leaf Springs
Suspension - Front	with shock absorber
Suspension - Rear	Bell Crank Type Suspension
Rear Axle	Tandem Banjo Type Single Reduction
Miles de O. Tonos	RAR: 4.89, 6.17
Wheels & Tyres	295/95D 20 + 10x20 (Tube Type Mixed)
Fuel Tank	235 litre
AdBlue® Tank Capacity	
Chassis Frame (mm)	285 X 70 X 8.5 thick with reinforcement
Max. Speed	60 km/h (With Speed Limiter)
Steering	Hydraulic power assisted tilt
	& telescopic
Brakes	Full Air S Cam Dual circuit Pneumatic Brake,
Diakes	10 Bar system with ABS
System Voltage	24V (12x2)
Wheelbase	4250 mm
Cabin	Day Cabin (AC optional)
Ground Clearance	250 mm
Tipping Body Size	16 Cum Box Body

AdBlue® is a registered trade name of the Verband der Automobilindustrie e. V. (VDA)











DELIVERS EXTRA LOADS AND FOOD GRAINS WITHOUT GETTING FUEL-THIRSTY.

• 7.2 litre, high torque, low r/min engine.

- mPOWER FuelSmart engine with multimode switches
 - Guaranteed better fuel efficiency
 - Driver Information System
- Next-Gen features and improved cabin for better productivity
 - Better payload capacity

SPECIFICATIONS	BLAZO X 35	
GVW	35000 kg	
Engine	mPOWER 7.2 litre FuelSmart	
Max. Power	204.32 kW @ 2200 r/min	
Max. Torque	950 Nm @ 1100 - 1700 r/min	
Transmission	Eaton 6S	
Suspension Front	Semi Elliptical Leaf Spring	
Suspension Rear	Semi Elliptical Leaf Spring	
Rear Axle	Single reduction, fully floating axle shaft	
	Option 1: 295/90R 20 + 10R20	
Tyres	(Tube Radial Mixed)	
	Option 2: 295/80R 22.5 Tubeless	
Fuel Tank Capacity	330 litre	
AdBlue® Tank Capacity	42 litre	
Chassis Cross Section (mm)	285 x 70 x 8.5	
Max Speed	80 km/h (With Speed Limiter)	
Gradeability	20.50%	
Steering	Tilt & Telescopic Power Steering	
Brakes	Full Air S Cam, 10 Bar System, ABS	
System Voltage	24V (2x12)	
Wheelbase/	6100/7315 mm	
Load Body Length CBC	6100 mm(EROH) / 7925 mm	
LOAG BODY LENGTH CBC	6650 mm / 9298 mm	
	6650 mm / 8534 mm	
Wheelbase/	6100 mm / 7755 mm	
Load Body Length COWL	6100 mm(EROH) / 8365 mm	
LOAG BODY LENGTH COWL	6650 mm / 9795 mm	
Cabin	Single Sleeper (Opt. COWL)	
HVAC	Optional	
* FBV available in 7315.2 mm o	only	

 ${\sf AdBlue}^{\texttt{o}} \ \text{is a registered trade name of the Verband der Automobilindustrie e. V. (VDA)}$















EXTRA MILEAGE. EXTRA SAVINGS. NOW THAT'S A TRUE WINNER!

- 7.2 litre, high torque, low r/min engine.
- mPOWER FuelSmart engine with multimode switches
- Guaranteed better fuel efficiency
- Driver Information System
- Next-Gen features and improved cabin for better productivity
- Better payload capacity
- Heavy duty gearbox

I	SPECIFICATIONS	BLAZO X 35 LIFT AXLE
	GVW	35000 kg
	Engine	mPOWER 7.2 litre FuelSmart
	Max. Power	204.32 kW @ 2200 r/min
	Max. Torque	950 Nm @1100 to 1700 r/min
	Transmission	Eaton 6S
	Suspension - Front	Parabolic
	Suspension - Rear	Semi Elliptical Leaf Spring
	Rear Axle	Single reduction, fully floating axle shaft
		Option 1: 295/90R 20 + 10R20
	Tyres	(Tube Radial Mixed)
l		Option 2: 295/80R 22.5 Tubeless
	Fuel Tank Capacity	330 litre
	AdBlue® Tank Capacity	42 litre
	Chassis Cross Section (mm)	285 x 70 x 8.5
	Max Speed	80 km/h (With Speed Limiter)
	Gradeability	20.50%
Ì	Steering	Tilt & Telescopic Power Steering
Ì	Brakes	Full Air S Cam, 10 Bar System, ABS
Ì	System Voltage	24V (2x12)
Ì	Wheelbase/Load body length(CBC)	5600 mm / 7315 mm
l	Wheelbase/Load body length(CBC/	6100 mm / 8534 mm
Ì	Cabin	Single Sleeper (Opt. COWL)
Ì	HVAC	Optional
Ì	Tipper Chassis	Tipper CBC Chassis also available.

#Accessories shown may not be part of standard fitment

AdBlue® is a registered trade name of the Verband der Automobilindustrie e. V. (VDA)







CONSTRUCTION

RIIIK

(FDC







DELIVERS EXTRA LOADS OF COAL. DELIVERS EXTRA MILEAGE.

- 7.2 litre, high torque, low r/min engine.
- mPOWER FuelSmart engine with multimode switches
 - Guaranteed better fuel efficiency
 - Driver Information System
- Next-Gen features and improved cabin for better productivity Better payload capacity

SPECIFICATIONS BLAZO X 35 8x4 TIPPER		
GVW	35000 kg	
Engine	mPower 7.2 litre FuelSmart	
Max. Power	204.32 kW @ 2200 r/min	
Max. Torque	950 Nm @ 1100 - 1700 r/min	
Gear box	Eaton 9 Speed Gear Box	
ocai box	Optional: Eaton 6 Speed Gear Box	
Gradeability	35% (with 9S)/24% (with 6S)	
Clutch (Diameter)	395 mm Diaphragm type, single plate dry clutch	
Suspension - Front	Parabolic Leaf Springs with shock absorbers	
Suspension - Rear	Inverted Leaf Bogie Suspension	
Suspension Real	Optional: Bell Crank Suspension	
Rear Axle	RAR: 4.89.Tandem Banjo Type Single Reduction	
Wheel & Tyres	Option 1: 11x20-16PR	
WIICCI & TYICS	Option 2: 295/ 95D 20 + 10x20 (Tube Type Mixed)	
Fuel Tank	200 litre	
AdBlue® Tank Capacity	42 litre	
Chassis Frame (mm)	m) 285 x 70 x 8.5 with 5 mm full length reinforcement	
Max. Speed	60 km/h (With Speed Limiter)	
Steering	Hydraulic Power assisted tilt & telescopic	
Brakes	Full Air S Cam Dual Circuit Pneumatic Brake	
51 and 5	10 Bar System with ABS	
System Voltage	24 V (12 x 2)	
Wheel Base	5300 WB (Non-Bogie Suspension)	
WIICCI Dasc	5330 WB (Bogie Suspension)	
Cabin	Day Cabin (AC Optional)	
Ground Clearance	250 mm	
Tipping Body Size	18 Cum Box Body	
ripping body size	22 Cum Box Body	

AdBlue® is a registered trade name of the Verband der Automobilindustrie e. V. (VDA)







PERFECT FOR FUEL ECONOMY. PERFECT FOR EXTRA LOADS. **ESPECIALLY CEMENT TRANSPORTATION.**

- 7.2 litre, high torque, low r/min engine.
- mPOWER FuelSmart engine with multimode switches
- Guaranteed better fuel efficiency
- Lower TCD for better manoeuvrability
- Tag axle for increased tyre life
- Driver Information System
- Next-Gen features and improved cabin for better productivity
- Better payload capacity

SPECIFICATIONS	BLAZO X 42 TAG AXLE
GVW	42000 kg
Engine	mPOWER 7.2 litre FuelSmart
Max. Power	204.322 kW @ 2200 r/min
Max. Torque	950 Nm @ 1100 - 1700 r/min
Transmission	Eaton 6S
Suspension Front	Semi Elliptical Leaf Spring
Suspension Rear	Semi Elliptical Leaf Spring
Rear Axle	Single reduction, fully floating axle shaft
Tyres	Option 1: 295/90R 20 + 10R20 (Tube Radial Mixed)
·	Option 2: 295/80R 22.5 Tubeless
Fuel Tank Capacity	330 litre
AdBlue® Tank Capacity	42 litre
Chassis Cross Section (mm)	285 x 70 x 8.5
Max Speed	80 km/h (With Speed Limiter)
Gradeability	20%
Steering	Tilt & Telescopic Power Steering
Brakes	Full Air S Cam, 10 Bar System, ABS
System Voltage	24V (2x12)
Wheelbase/	6100 mm / 8534 mm
Load Body Length CBC	6650 mm / 9298 mm
RAR	5.29
Cabin	Single Sleeper (Opt. COWL)
HVAC	Optional

AdBlue® is a registered trade name of the Verband der Automobilindustrie e. V. (VDA)













BUILT FOR EXTRA MILEAGE NO MATTER HOW YOU BUILD IT.

• 7.2 litre, high torque, low r/min engine.
• mPOWER FuelSmart engine with multimode switches

Guaranteed better fuel efficiencyDriver Information System

Next-Gen features and improved cabin for better productivity
 Better payload capacity

Cowl also available in 28T and 35T

SPECIFICATIONS	BLAZO X 42 TAG AXLE COWL
GVW	42000 kg
Engine	mPOWER 7.2 litre FuelSmart
Max. Power	204.32 kW @ 2200 r/min
Max. Torque	950 Nm @ 1100-1700 r/min
Transmission	Eaton 6S
Suspension Front	Semi Elliptical Leaf Spring
Suspension Rear	Semi Elliptical Leaf Spring
Rear Axle	Single reduction, fully floating axle shaft
Tyres	Option 1: 295/90R 20 + 10R20 (Tube Radial Mixed)
	Option 2: 295/80R 22.5 Tubeless
Fuel Tank Capacity	330 litre
AdBlue® Tank Capacity	42 litre
Chassis Cross Section (mm)	285 x 70 x 8.5
Max Speed	80 km/h (With Speed Limiter)
Gradeability	20%
Steering	Tilt & Telescopic Power Steering
Brakes	Full Air S Cam, 10 Bar System, ABS
System Voltage	24V (2x12)
Wheelbase/	6100 mm / 9005 mm
Load Body Length	6650 mm / 9795 mm
RAR	5.29
HVAC	Optional

AdBlue® is a registered trade name of the Verband der Automobilindustrie e. V. (VDA)





ION BO



GIVE YOUR BUSINESS THAT EXTRA PUSH.

- 7.2 litre, high torque, low r/min engine.
- mPOWER FuelSmart engine with multimode switches
- Guaranteed better fuel efficiency
- Driver Information System
- Next-Gen features and improved cabin for better productivity
- Better payload capacity

SPECIFICATIONS	BLAZO X 42 PUSH	ER AXLE
GVW	42000 kg	
Engine	mPOWER 7.2 litre	FuelSmart
Transmission	6 Forward Synchro	mech, 1 Reverse
Suspension Front	Parabolic Leaf Sprin	g with Shock Absorber
Suspension Rear	Semi Elliptical Leaf	Spring
Max. Power	204.32 kW @ 2200	r/min
Max. Torque	950 Nm @1100 to	1700 r/min
Max Geared Speed	80 km/h (with Spec	ed Limiter)
Gradeability	20%	
Chassis Frame	Ladder type, Unifo	rm C - Section
Steering	Tilt & telescopic Po	wer Steering
Brakes	Full air S-Cam, 10 b	oar System
Fuel Tank	330 litre	
AdBlue® Tank Capacity	42 litre	
	Option 1: 295/90R	20 + 10R20
Wheels & Tyres	(Tube Radial Mixed:)
	Option 2: 295/80R	22.5 Tubeless
System Voltage	24V (2 x 12V)	
Variants	Cabin	Cowl
Wheel Base	6650 mm	6650 mm
Load Body Length	8534 mm	9005 mm
Load Body Options	CBC*	Cowl*
Cabin	Single Sleeper	
Air Conditioning	Optional	
Tipper Chassis	Tipper CBC Chassis	with
прры спазыз	PTO+Pump also av	ailable.
	* Only Avl in CBC & C\	NC

AdBlue® is a registered trade name of the Verband der Automobilindustrie e. V. (VDA)























ASSURED EXTRA SAVINGS EVERY TIME YOU DELIVER AUTOMOTIVE.

• 7.2 litre, high torque, low r/min engine.

- mPower FuelSmart engine with multimode switches
 - Guaranteed better fuel efficiency • Driver Information System
- Next-Gen features enriched cabin for better productivity
 - Better payload capacity

SPECIFICATIONS	BLAZO X 40 SWB
GVW	39500 kg
Engine	mPOWER 7.2 litre FuelSmart
Max. Power	204.32 kW @ 2200 r/min
Max. Torque	950 Nm @ 1100-1700 r/min
Gear Box	Eaton 6S
Clutch (Diameter)	395 mm
Tyres	295/90R 20 + 10R20 (Tube Radial Mixed)
Gradeability	18.1%
Max Speed	80 km/h (With Speed Limiter)
TCD	12.3 m
Wheelbase	3075 mm
Overall Length	5510 mm
Brake Pressure	10 Bar
Brake Width Rear	220 mm
Frame (mm)	285 X 70 X 8.5
5th Wheel Coupling (Diameter)	2 mm
King Pin Offset (mm)	482 - Standard
King i in on see thin.	347-550@ 68 pitch- Adjustable
Unladen Wt.	6005 kg
Fuel Tank Capacity	330 litre
AdBlue® Tank Capacity	42 litre
HVAC	Optional

AdBlue® is a registered trade name of the Verband der Automobilindustrie e. V. (VDA)









EFFORTLESSLY MOVES CONTAINERS AND SAVES EXTRA FUEL.

- 7.2 litre, high torque, low r/min engine.
- mPOWER FuelSmart engine with multimode switches
- Guaranteed better fuel efficiency
- Driver Information System
- Next-Gen features and improved cabin for better productivity
- Better payload capacity

SPECIFICATIONS	BLAZO X 46
GVW	45500 kg
Engine	mPOWER 7.2 litre FuelSmart
Max. Power	204.32 kW @ 2200 r/min
Max. Torque	950 Nm @ 1100-1700 r/min
Gear Box	Eaton 6S
Clutch (Diameter)	395 mm
Rear Axle	Single reduction, fully floating axle shaft
Tyres	295/90R 20 + 10R20 (Tube Radial Mixed)
Fuel Tank Capacity	330 litre
AdBlue® Tank Capacity	42 litre
Gradeability	17.5%
Chassis Cross Section (mm)	285 X 70 X 8.5
Max. Speed	80 km/h (With Speed Limiter)
Steering	Tilt and Telescopic Power Steering
System Voltage	24V (2 X12 V)
Brake Pressure	10 Bar
Brake Width Rear	220 mm
5 th Wheel Coupling (Diameter)	50.8 mm
Cabin	Single Sleeper
HVAC	Optional
Wheelbase	3600 mm
	* Also Avl in 9s gearbox

AdBlue® is a registered trade name of the Verband der Automobilindustrie e. V. (VDA)































EXTRA MILEAGE, EXTRA PAYLOAD, EXTRA PROFITS.

• 7.2 litre, high torque, low r/min engine.

- mPOWER FuelSmart engine with multimode switches.
 - More mileage guaranteed
- Next-gen features and improved cabin for better productivity.
 - Driver Information System

ATTRIBUTE	SPECIFICATION
Model	BLAZO X 49
GVW	49000 kg
Max Power	204.32 kW @ 2200 ± 50 r/min
Max Torque	950 Nm @ 1100 – 1700 r/min
Wheel Base	6770 mm
Overall Length	11325 mm / 11965 mm
Overall Width CBC	2490 mm
Loading Span (Sleeper Cab)	8839.2 mm / 9448.8 mm
Ground Clearance (Rear Axle)	249 mm
Clutch (Diameter)	395 mm
Gear Box	Eston ES 11109 9S (8 Forward, 1 Reverse & 1 Crawler)
Rim Size	190.5 mm x 509 mm
Tyre	295/90 R 20 + 10R20 (Tube Radial Mixed)
Frame Section (mm)	285 x 70 x 8.5
Reinforcement	Yes (Inner & Outer)
Front Suspension	Parabolic
Rear Suspension	Semi Elliptical Leaf Spring
Steering	Hydraulic Power Assisted tiltable and telescopic
Brakes	Front - 410 X 200 (mm)
	Rear - 410 X 220 (mm)
	Lift Axle - 410 x 180 (mm)
Fuel Tank Capacity	330 litre
Ad-Blue Tank Capacity	42 litre
Cab Type	Single Sleeper
HVAC	Optional
Max Geared Speed	80 km/h
Max Gradeability % (Degree)	22% with Crawler @ rated GVW

AdBlue® is a registered trade name of the Verband der Automobilindustrie e.V. (VDA)











ULKERS CEM

MARKET LOA

CONTAINER



A BIG HEART FOR BIG CARGO AND EXTRA MILEAGE.

- 7.2 litre, high torque, low r/min engine.
- mPOWER FuelSmart engine with multimode switches
- Guaranteed better fuel efficiency
- Driver Information System
- Next-Gen features and improved cabin for better productivity
- Better payload capacity

SPECIFICATIONS	BLAZO X 55
GVW	55000 kg
Engine	mPOWER 7.2 litre FuelSmart
Max. Power	204.32 kW @ 2200 r/min
Max. Torque	950 Nm @ 1100-1700 r/min
Transmission	ZF 9S with Crawler
Suspension Front	Parabolic Leaf Spring
Suspension Rear	Semi Elliptical Leaf Spring / Bogie (Opt.)
Rear Axle	Live Banjo type, single reduction, fully floating axle shafts
Tyres	11.00R20 16 PR
5 th Wheel Coupling (Diameter)	2 mm
Fuel Tank Capacity	330 litre
AdBlue® Tank Capacity	42 litre
Chassis Cross Section (mm)	285 X 70 X 8.5 with 5 mm internal reinforcement
Max Speed	80 km/h (With Speed Limiter)
Gradeability	19%
Steering	Tilt and Telescopic Power Steering
Brakes	Full Air S Cam, 10 Bar System, ABS
System Voltage	24V (2 X12 V)
Wheelbase	4100 mm(Non Bogie), 4050 mm(Bogie)
Cabin	Single Sleeper
HVAC*	AC Optional

NOW also available with Bogie Suspension.

*Blower is standard Fitment AdBlue® is a registered trade name of the Verband der Automobilindustrie e. V. (VDA)





















MORE SAFETY, MORE COMFORT, MORE TRIPS, MORE PROFITS.

Mahindra BLAZO X is one of the most comfortable trucks in India. It's built with the knowledge that drivers are the actual wheels of Indian transport and they spend half their lives inside the cabin. Which is why this truck comes with a host of features to make them comfortable and safe. Like the 4-point suspended cabin that truly enhances driving comfort. And the controls that are ergonomically located to reduce effort inside the cabin.



The tilt & telescopic steering allows drivers to adjust the steering to their convenience. A wide windshield and large rear view mirrors provide greater visibility. And the anti-lock braking system ensures greater braking control even at higher speeds. In other words, this is a truck built for safe, fatigue-free driving which means fewer stoppages by drivers, more distance covered in less time and improved turnaround times.



The new Mahindra BLAZO X range also comes with a car-like Driver Information System (DIS) that gives critical vehicle information to the driver in real time. Apart from the engine RPM, temperature, speed and fuel levels, it has brake pressure, trip kilometre, diesel consumption per kilometre, battery voltage, service reminders and other important details.







9-SPEED GEAR SHIFT



ANTI-LOCK BRAKING SYSTEM



COMFORTABLE SLEEPER BERTHS

COMFORTABLE 3-WAY ADJUSTABLE SEATS

Note: In view of our policy of continuously improving our products, we reserve the right to alter specifications or design without prior notice and without liability. Illustrations do not necessarily show the vehicle in its standard form. Accessories shown are not part of the standard equipment. Colour shades shown may vary. E. & O.E.











We've anticipated the most unpredictable conditions while building our trucks. That's why these trucks have several features that deliver solid performance consistently. Like the TAG/PUSHER LIFT AXLE that reduces wear and tear of tyres no matter the load, no matter the road. A BOGIE SUSPENSION to help you negotiate different load and terrain conditions. A clutch with a 395 mm diameter and a heavy-duty gearbox to ensure safe and effortless driving. A strong chassis, reliable S-cam airbrakes with 10 bar pressure and rear leaf suspension make this vehicle extremely sturdy and reliable. A heavy-duty front axle has been fitted in for trouble-free operations for many years.

The design of all these aggregates is such that they are durable, deliver consistent performance and require minimal maintenance.







TO OUTPERFORM, YOU HAVE TO OUTBUILD FIRST.

The Greenfield Plant in Chakan, one of the most advanced manufacturing plants in India, is where Mahindra trucks are built. Massive in scale, the Chakan Plant is also renowned for its attention to detail. Each vehicle is put together with robotic precision and utmost care to ensure the highest standard of reliability. A young, enthusiastic and very well-trained group of technicians ensure the quality of the vehicles that roll out from this plant. While its cutting-edge technology and sustainable practices make it a plant that's ready to give the world generations of outperforming vehicles.













ABOUT MAHINDRA

The Mahindra Group focuses on enabling people to 'Rise' through solutions that power mobility, drive rural prosperity, enhance urban lifestyles and increase business efficiency.

A USD 20.7 billion multinational group based in Mumbai, India, Mahindra provides employment opportunities to over 200,000 people in over 100 countries. The Group operates in the key industries that drive economic growth, enjoying a leadership position in tractors, utility vehicles, information technology, financial services and vacation ownership. In Addition, Mahindra enjoys a strong presence in the agribusiness, aerospace, components, consulting services, defence, energy, industrial equipment, logistics, real estate, retail, steel, commercial vehicles and two-wheeler industries.

In 2014, Mahindra featured on the Forbes Global 2000, a comprehensive listing of the world's largest, most powerful public companies, as measured by revenue, profit, assets and market value. The Mahindra Group also received the Financial Times 'Boldness in Business' Award in the 'Emerging Markets' category in 2013.



GIVE YOUR BUSINESS EXTRA PROFITS WITH OUR AWARD WINNING TRUCKS.

- 2011: CV and HCV of the year 25 tonne
- 2012: Prime Mover of the year 40 tonne
- 2013: Haulage Tipper of the year TORRO 31
- 2014: Cargo Carrier of the year TORRO 25
- 2015: HCV Rigid Cargo Carrier of the year TRUXO 37
- 2017: CV and HCV of the year BLAZO 37
- 2018: MHCV Tipper of the year BLAZO 25
- 2019: HCV Rigid Cargo Carrier BLAZO X 37 Pusher Axle



INITIATIVES THAT GIVE EXTRA POWER TO INDIAN TRANSPORT.



TOUR DE CHAKAN: This is a one-of-its-kind initiative that presents customers a unique tour of Mahindra's state-of-the-art Chakan plant. So they can see the entire truck manufacturing process, the technology and quality control that goes into making Mahindra's trucks the outperforming machines that they truly are.



D-EXCEL: MTB is working with Indian Institute of Management Ahmedabad, in developing a program to provide guidance, new thinking and techniques to help transporters to improve their business and cover specific areas ranging from profitability to better customer experience, data driven decisions, people management etc.



MAHINDRA TRANSPORT EXCELLENCE AWARDS: The Mahindra Transport Excellence Awards turn the spotlight on excellence in the transport industry. Over the years, the awards have consistently widened their scope by adding new categories to recognise and reward excellence in many more areas of Indian transport.



MPOWER: Launched in association with IIM - Ahmedabad as the Knowledge Partner, MPOWER helps young professionals in the transport industry meet today's challenges and take their business to new heights. The programme has received widespread appreciation in the Indian transport industry and has seen over 200 young transport entrepreneurs completing the course.



MPOWER WAR ROOM: They say that learning isn't complete till it is actually applied. That's exactly the idea behind the MPOWER WAR ROOM. Through this programme, participants can present how they have applied their MPOWER learning and advanced their family transport businesses. The programme also gives participants an opportunity to learn from each other's experiences and build deeper ties with one another. Also conducted in association with IIM-A, the WAR ROOM has seen two editions and nearly 50 participants.



MPOWER MENTORS SUMMIT: This is a collective learning programme specially designed to empower the mentors of the Indian Trucking Industry. It offers industry veterans a platform to share their views on transport with other fleet owners, seasoned professionals and also interact with the IIM-A faculty to discuss and guide the next generation of transporters.

SAARTHI ABHIYAAN: Staying true to Mahindra's philosophy of 'Rise', Saarthi Abhiyaan, a unique social project was started. It supports truck drivers and their families through health camps, scholarships, driver training programmes and more.



GET BACK ON ROAD IN 48 HOURS. OR GET RS. 1 0000.00 PER DAY.*

Here's a service promise like never before. In the unlikely event of a breakdown, we'll get your Mahindra truck working within 48 hours. Or we will pay you Rs. 1 000.00 per day till the truck is back on the road. So go ahead, give your transport business the Mahindra service guarantee.



the technical know-how on servicing Mahindra Truck and Bus.

NOW: India's first multi-lingual, 24X7, on-road assistance

Increased oil change intervals to ensure greater savings

Well-equipped Mobile Service Vans

The Mahindra Truck and Bus service van is a unique highway assistance facility that reaches out to broken down vehicles at

Best-in-Class Warranty Package

Our warranty plans are designed to give you complete peace of mind. So that you have a hassle-free truck

get the benefit of our competent assistance at very competitive rates for genuine spares and service.

full service station can provide. Including spare parts, tools. trained technicians, a mobile phone and essential document


Easily available genuine Mahindra Truck and Bus oil

Available in a customised pack through IOCL, this is a high-grade oil with long drain intervals that ensures upkeep and optimum performance of aggregates.






















*Warranty applicable for HCV Range of trucks - For extended warranty please call our representative. This warranty package is not applicable for Tippers, LCV trucks & b
*Transferable Warranty applicable only on first resale. Conditions apply. "Conditions applicable on AMC."







GUARANTEED AVAILABILITY OF 150 FAST MOVING MAINTENANCE PARTS AT MPARTS PLAZA OR ELSE THEY ARE YOURS FOR FREE.*

A unique guarantee for you on 150 maintenance spare parts. If a maintenance spare part you want isn't available at the plaza, then it will be yours for free.









Step into MParts Plaza, your one-stop shop for a range of Mahindra Truck and Bus spare parts at reasonable prices. You'll never have to compromise on performance or price again!

- Spacious and well-designed stores
- Conveniently located near auto spare parts hub
- Complete range of genuine spares
- Reasonably priced and competitive



